



California Regional Water Quality Control Board

San Diego Region

Winston H. Hickox
Secretary for
Environmental
Protection

Internet Address: <http://www.swrcb.ca.gov/rwqcb9/>
9174 Sky Park Court, Suite 100, San Diego, California 92123-4340
Phone (858) 467-2952 • FAX (858) 571-6972



Gray Davis
Governor

ITEM 7
SUP. DOC. 6

October 9, 2003

To: Publicly Owned Treatment Works Agencies
Discharging to the Oceanside and Encina Ocean
Outfalls (see attached list)

POTW: 01-0030.02:VASQV
POTW: 01-0115.02:VASQV
POTW: 01-0146.02:VASQV
POTW: 01-1182.02:VASQV

Dear Sir or Madam:

**SUBJECT: TENTATIVE ADDENDA TO MONITORING AND REPORTING
PROGRAMS OF NPDES PERMITS FOR AGENCIES DISCHARGING TO
THE OCEANSIDE AND ENCINA OCEAN OUTFALLS**

Enclosed are copies of the following tentative addenda:

- a) Tentative Addendum No. 3 to Order No. 2000-036 (NPDES NO. CA0107395), *Waste Discharge Requirements for the Encina Wastewater Authority, Discharge to the Pacific Ocean Through the Encina Ocean Outfall*
- b) Tentative Addendum No. 1 to Order No. 2000-012 (NPDES NO. CA0108031), *Waste Discharge Requirements for the Fallbrook Public Utility District Wastewater Treatment Plant No. 1, Discharge to the Pacific Ocean Via the Oceanside Ocean Outfall*
- c) Tentative Addendum No. 2 to Order No. 2000-011 (NPDES NO. CA0107433), *Waste Discharge Requirements for the City of Oceanside San Luis Rey and La Salina Wastewater treatment Plants, Discharge to the Pacific Ocean Via the Oceanside Ocean Outfall*
- d) Tentative Addendum No. 1 to Order No. R9-2003-0155 (NPDES NO. CA0107433), *Waste Discharge Requirements for the United States Marine Corps Base Camp Pendleton Wastewater Treatment Plant Nos. 1, 2, 3, & 13, Discharge to the Pacific Ocean Via the Oceanside Ocean Outfall*

Staff intends to present these tentative addenda to the Regional Board for adoption at their regularly scheduled meeting on November 12, 2003.

If adopted, the tentative addenda will increase the receiving water monitoring frequency for bacterial indicators to weekly throughout the year at the Encina Ocean Outfall (EOO) and Oceanside Ocean Outfall (OOO) surf zone monitoring stations. Consideration of revisions to the monitoring and reporting programs for discharges of municipal wastewater through the OOO to increase the frequency of surf zone station bacterial monitoring might have occurred at the

California Environmental Protection Agency

The energy challenge facing California is real. Every Californian needs to take immediate action to reduce energy consumption. For a list of simple ways you can reduce demand and cut your energy costs, see our Web-site at <http://www.swrcb.ca.gov>.

Recycled Paper



POTW Agencies Discharging to the
Encina and Oceanside Ocean Outfalls

October 9, 2003

August 13, 2003 Regional Board meeting; however, the public notice requirements necessary for the Regional Board to take action at that time were not completed. The proposed amendments therefore, were to be considered at a future Regional Board meeting. An increased monitoring frequency is also appropriate for the surf zone monitoring stations associated with discharges through the EOO and is therefore included in the above described amendments.

The tentative addenda will also incorporate by reference "Standard Operating Procedures for the Collection of Water Samples for Bacterial Analysis from Ocean and Bay Receiving Waters," as developed by the County of San Diego Department of Environmental Health.

The November 12, 2003 meeting will begin promptly at 9:00 am and will be held at the following location:


California Regional Water Quality Control Board
San Diego Region
9174 Sky Park Court, Suite 100
San Diego, CA 92123

Please review and comment on the tentative Addenda at your earliest convenience. It is recommended that written comments be submitted by October 29, 2003 to enable staff to amend the tentative Addenda, if necessary, and allow changes to the tentative Addenda to be fully reviewed by the Regional Board and interested parties. The final deadline for submittal of written comments, however, is 5:00 p.m. on November 5, 2003. Per Regional Board direction, written material submitted to the Regional Board office after the submittal deadline date will not be provided to the Regional Board. Also, it is not likely that written material will be accepted by the Regional Board on the day of the meeting.

The heading portion of this letter includes a Regional Board code number noted after "In reply refer to:" In order to assist us in the processing of your correspondence please include this code number in the heading or subject line portion of all correspondence and reports to the Regional Board pertaining to this matter.

If you have any questions regarding the above, please contact Mr. Victor Vasquez at (858) 636-3155, or via e-mail at vasqv@rb9.swrcb.ca.gov.

Respectfully,



MICHAEL P. McCANN
Supervising Engineer

California Environmental Protection Agency

The energy challenge facing California is real. Every Californian needs to take immediate action to reduce energy consumption. For a list of simple ways you can reduce demand and cut your energy costs, see our Web-site at <http://www.swrcb.ca.gov>.

Recycled Paper



POTW Agencies Discharging to the
Encina and Oceanside Ocean Outfalls

October 9, 2003

MPM:bdk:vrv

- Enclosures:
- 1) List of POTW Agencies Discharging to the Encina and Oceanside Ocean Outfalls
 - 2) Tentative Addendum No. 3 to Order No. 2000-036
 - 3) Tentative Addendum No. 1 to Order No. 2000-012
 - 4) Tentative Addendum No. 2 to Order No. 2000-011
 - 5) Tentative Addendum No. 1 to Order No. R9-2003-0155
 - 6) County of San Diego "Standard Operating Procedures for the Collection of Water Samples for Bacterial Analysis from Ocean and Bay Receiving Waters"

cc: Ms. Kathi Moore
Chief, Compliance Office
US Environmental Protection Agency
M.S. WTR-7
San Francisco, CA 94105

Mr. Mark McPherson
Chief, Land and Water Division
Department of Environmental Health
P.O. Box 129261
San Diego, CA 92112-9261

Mr. Michael T. Thonton
Manager
San Elijo Joint Powers Authority
2695 Manchester Avenue
Cardiff, CA 92007

Mr. Greg Langlois
California Department of Health Services
Shellfish Sanitation Unit
2151 Berkeley Way
Berkeley, CA 94704

Mr. Ken Schiff
Southern California Water Research Project
7171 Fenwick Lane
Westminster, CA 92683

Mr. Rolf Frankenbach
Environmental Scientist
California Department of Health Services
Preharvest Shellfish Sanitation Unit
850 Marina Bay Parkway, Rm. G164
Richmond, CA 94804

Rec Water M&RP Tent Adden transmittal 10-09-03.doc

California Environmental Protection Agency

The energy challenge facing California is real. Every Californian needs to take immediate action to reduce energy consumption. For a list of simple ways you can reduce demand and cut your energy costs, see our Web-site at <http://www.swrcb.ca.gov>.

Recycled Paper



List of POTW Agencies Discharging to the
Encina and Oceanside Ocean Outfalls

October 9, 2003

Mr. Barry E. Martin
Water Utilities Director
City of Oceanside
300 North Coast Highway, Building B
Oceanside, CA 92054

Mr. Joe Jackson
Asst. General Manager
Fallbrook Public Utility District
990 E. Mission Rd.
P.O. Box 2290
Fallbrook, CA 92088-2290

Mr. Lupe Armas
AC/S Environmental Security
U.S. Marine Corps Base Camp Pendleton
P.O. Box 555008
Camp Pendleton, CA 92055-5008

Mr. Michael T. Hogan
General Manager
Encina Wastewater Authority
6200 Avenida Encinas
Carlsbad, CA 92009-1095

California Environmental Protection Agency

The energy challenge facing California is real. Every Californian needs to take immediate action to reduce energy consumption. For a list of simple ways you can reduce demand and cut your energy costs, see our Web-site at <http://www.swrcb.ca.gov>.

Recycled Paper

